

<b>SUBSTITUTE FOR FORM IPC/SB/08</b>			<b>ATTY DOCKET NO:</b> ALBRECHTSEN=2		<b>SERIAL NO:</b> 10/567,365	
<b>INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT</b>			<b>FIRST INVENTOR:</b> ALBRECHTSEN, Morten			
			<b>FILING DATE:</b> October 20, 2008			
			<b>EXAMINER:</b> Ballard, K.		<b>CONF. NO:</b> 2440	
<b>U.S. PATENT DOCUMENTS (include at least patentee, patent/pub number and filing/issue/pub date)</b>						
EXAM. INITIAL	ID	DOCUMENT NUMBER	FILING, ISSUE OR PUBLICATION DATE (MM-DD-YYYY)	PATENTEE OR APPLICANT	Relevant Passage(s)	T*
	AA	5,693,488	12-02-1997	FANG, et al.		
	AB	5,837,813	11-17-1998	RUOSLAHTI, et al.		
	AC	5,840,689	11-24-1998	DANILOFF, et al.		
	AD	6,313,265	11-06-2001	PHILLIPS, et al.		
	AE	6,576,607	06-10-2003	SCHACHNER		
	AF	6,749,850	06-15-2004	FINKELSTEIN, et al.		
	AG	7,167,819	01-23-2007	GIBSON, et al.		
	AH	7,504,490	03-17-2009	WEINSTOCK, et al.		
	AI	2009-0305951	12-10-2009	KISELYOV, et al.		
	AJ	12/745,129	05-27-2010	BEREZIN, et al.		
<b>FOREIGN PATENT DOCUMENTS (include at least document number, publication date and country)</b>						
EXAM. INITIAL	ID	COUNTRY CODE & DOCUMENT NUMBER	PUBLICATION DATE MM-DD-YYYY	PATENTEE OR APPLICATION	Relevant Passage(s)	T*
	AK	WO 01/96364	12-20-2001	SAFFELL, Jane Louise		
<b>EXAMINER</b>				<b>DATE CONSIDERED</b>		
<b>EXAMINER:</b> Initial if reference considered. Draw line through citation if not in conformance <u>and</u> not considered. Include copy of this form with next communication to applicant.						

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /K.B./

<b>SUBSTITUTE FOR FORM IPC/SB/08</b>		<b>ATTY DOCKET NO:</b> ALBRECHTSEN=2	<b>SERIAL NO:</b> 10/567,365
<b>INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT</b>		<b>FIRST INVENTOR:</b> ALBRECHTSEN, Morten	
		<b>FILING DATE:</b> October 20, 2008	
		<b>EXAMINER:</b> Ballard, K.	<b>CONF. NO:</b> 2440
<b>OTHER DOCUMENTS (include AUTHOR, title, name of publication, volume, pages &amp; date of publication)</b>			
	AL	Berezin, et al., "The neural cell adhesion molecule", <u>Current Opinion in Drug Discovery &amp; Development</u> , vol. 3, pp. 605-609, 2000.	
	AM	BRUSES, et al., "Roles, regulation, and mechanism of polysialic acid function during neural development", <u>Biochemie</u> , vol. 83, pp. 635-643, 2001.	
	AN	CAMBON, et al., "Post-training administration of a synthetic peptide ligand of the neural cell adhesion molecule, C3d, attenuates long-term expression of contextual fear conditioning", <u>NEUROSCIENCE</u> , vol. 122, pp. 183-191, 2003.	
	AO	CHAN, et al., "Identification, classification, and analysis of beta-bulges in proteins", <u>Protein Science</u> , vol. 2, pp. 1574-1589, 1993.	
	AP	CREMER, et al., "NCAM is essential for axonal growth and fasciculation in the hippocampus", <u>Mol. Cell Neurosci.</u> , vol. 8, pp. 323-335, 1997.	
	AQ	D'MELLO, et al., "Insulin-like growth factor and potassium depolarization maintain neuronal survival by distinct pathways: possible involvement of PI 3-kinase in IGF-1 signaling", <u>J. neurosci.</u> , vol. 17, pp. 1548-1560, 1997.	
	AR	DANTZER, et al., "Modulation of social memory in male rats by neurohypophyseal peptides", <u>Psychopharmacology</u> , vol. 91, pp. 363-368, 1987.	
	AS	DICKSON, et al., "Human Muscle Neural Cell Adhesion Molecule (N-CAM): Identification of a Muscle-Specific Sequence in the Extracellular Domain", <u>Cell</u> , vol. 50, pp. 1119-1130, September 25, 1987.	
	AT	DITLEVSEN, et al., "The role of phosphatidylinositol 3-kinase in neural cell adhesion molecule-mediated neuronal differentiation and survival", <u>JOURNAL OF NEUROCHEMISTRY</u> , vol. 84, pp. 546-556, 2003.	
	AU	DOHERTY, et al., "CAM-FGF Receptor Interactions: A Model for Axonal Growth", <u>Mol. Cell Neurosci.</u> , vol. 8, pp. 99-111, 1996.	
	AV	DZHANDZHUGAZYAN, et al., "Demonstration of (Ca(2+)-Mg2+)-ATPase activity of the neural cell adhesion molecule", <u>FEBS Lett.</u> , vol. 336(2), pp. 279-83, December 27, 1993.	
	AW	DZHANDZHUGAZYAN, et al., "Demonstration of an extracellular ATP-binding site in NCAM: functional implications of nucleotide binding", <u>Biochemistry</u> , vol. 36(49), pp. 15381-95, December 9, 1997.	
	AX	EILERS, et al., "Role of the Jun kinase pathway in the regulation of c-Jun expression and apoptosis in sympathetic neurons", <u>J. Neurosci.</u> , vol. 18(5), pp.1713-24, March 1, 1998.	
	AY	ERIKSSON, et al., "Refinement of the structure of human basic fibroblast growth factor at 1.6 A resolution and analysis of presumed heparin binding sites by selenate substitution", <u>Protein Sci.</u> , vol. 2(8), pp. 1274-84, August 1993.	
<b>EXAMINER</b>		<b>DATE CONSIDERED</b>	
<b>EXAMINER:</b> Initial if reference considered. Draw line through citation if not in conformance <u>and</u> not considered. Include copy of this form with next communication to applicant.			

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /K.B./

<b>SUBSTITUTE FOR FORM IPC/SB/08</b>		<b>ATTY DOCKET NO:</b> ALBRECHTSEN=2	<b>SERIAL NO:</b> 10/567,365
<b>INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT</b>		<b>FIRST INVENTOR:</b> ALBRECHTSEN, Morten	
		<b>FILING DATE:</b> October 20, 2008	
		<b>EXAMINER:</b> Ballard, K.	<b>CONF. NO:</b> 2440
<b>OTHER DOCUMENTS (Continued) (include AUTHOR, title, name of publication, volume, pages &amp; date of publication)</b>			
	AZ	FREI, et al., "Different Extracellular Domains of the Neural Cell Adhesion Molecule (N-CAM) Are Involved in Different Functions", <u>Journal of Cell Biology</u> , Rockefeller University Press, vol. 118, no. 1, pp. 177-194, July 1992.	
	BA	FURKA, et al., "General method for rapid synthesis of multicomponent peptide mixtures", <u>Int J Pept Protein Res.</u> , vol. 37(6), pp. 487-93, June 1991.	
	BB	HARTZ, et al., "A synthetic peptide ligand of NCAM affects exploratory behaviour and memory in rodents", <u>PHARMACOLOGY, BIOCHEMISTRY AND BEHAVIOR</u> , vol. 75, pp. 861-867, 2003.	
	BC	HATTEN, et al., "In vitro neurite extension by granule neurons is dependent upon astroglial-derived fibroblast growth factor", <u>Dev Biol</u> , vol. 125(2), pp. 280-9, February 1988.	
	BD	HORSTKORTE, et al., "The fourth immunoglobulin-like domain of NCAM contains a carbohydrate recognition domain for oligomannosidic glycans implicated in association with L1 and neurite outgrowth", <u>J. Cell Biol.</u> , vol. 121(6), pp. 1409-21, June 1993.	
	BE	HULLEY, et al., "L1 neural cell adhesion molecule is a survival factor for fetal dopaminergic neurons", <u>J Neurosci Res.</u> , vol. 53(2), pp. 129-34, July 15, 1998.	
	BF	JENSEN, et al., "Structure and interactions of NCAM modules 1 and 2, basic elements in neural cell adhesion", <u>Nat Struct Biol</u> , vol. 6, pp. 486-93, May 5, 1999.	
	BG	JESSEN, et al., "Neural Cell Adhesion Molecule-Mediated Neurite Outgrowth Is Repressed by Overexpression of HES-1", <u>JOURNAL OF NEUROSCIENCE RESEARCH</u> , vol. 71, pp. 1-6, 2003.	
	BH	JESSEN, et al., "The transcription factors CREB and c-Fos Play key roles in NCAM-mediated neuritogenesis in PC12-E2 cells. <u>Journal of Neurochemistry</u> , vol. 79, pp. 1149-1160, 2001.	
	BI	KASPER, et al., "Structural basis of cell-cell adhesion by NCAM", <u>Nat Struct Biol</u> , VOL. 7(5), PP. 389-93, May 2000.	
	BJ	KASPER, et al., "Functional Characterization of NCAM Fibronectin Type III Domains: Demonstration of Modulatory Effects of the Proline-Rich Sequence Encoded by Alternatively Spliced Exons a and AAG", <u>Journal of Neuroscience Research</u> , vol. 46, pp. 173-186, 1996.	
	BK	KISELYOV, et al., "The first immunoglobulin-like neural cell adhesion molecule (NCAM) domain is involved in double-reciprocal interaction with the second immunoglobulin-like NCAM domain and in heparin binding", <u>J Biol Chem</u> , vol. 272(15), pp. 10125-34, April 11, 1997.	
	BL	KISELYOV, et al. ABSTRACT, "Structure of the second fibronectin type III module of NCAM. Identification of a neuritogenic site" <u>European Journal of Neuroscience</u> , vol. 12, no. 11, 2000.	
	BM	KLEMENTIEV, et al., "A neural cell adhesion molecule-derived peptide reduces neuropathological signs and cognitive impairment induced by Abeta(25-35)", <u>Neuroscience</u> , vol. 145, pp. 209-224, 2007.	
<b>EXAMINER</b>		<b>DATE CONSIDERED</b>	
<b>EXAMINER:</b> Initial if reference considered. Draw line through citation if not in conformance <u>and</u> not considered. Include copy of this form with next communication to applicant.			

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /K.B./

<b>SUBSTITUTE FOR FORM IPC/SB/08</b>		<b>ATTY DOCKET NO:</b> ALBRECHTSEN=2	<b>SERIAL NO:</b> 10/567,365
<b>INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT</b>		<b>FIRST INVENTOR:</b> ALBRECHTSEN, Morten	
		<b>FILING DATE:</b> October 20, 2008	
		<b>EXAMINER:</b> Ballard, K.	<b>CONF. NO:</b> 2440
<b>OTHER DOCUMENTS (Continued) (include AUTHOR, title, name of publication, volume, pages &amp; date of publication)</b>			
	BN	KLEMENTIEV, et al., "A peptide agonist of the neural cell adhesion molecule (NCAM), C3, protects against developmental defects induced by a teratogen pyrimethamine", <u>Int. J. Devl Neuroscience</u> , vol. 20, pp. 527-536, 2002.	
	BO	KOLKOVA, et al., "Neural Cell Adhesion Molecule-Stimulated Neurite Outgrowth Depends on Activation of Protein Kinase C and the Ras-Mitogen-Activated Protein Kinase Pathway", <u>The Journal of Neuroscience</u> , vol. 20(6), pp. 2238-2246, March 15, 2000.	
	BP	LAM, et al., "A new type of synthetic peptide library for identifying ligand-binding activity", <u>nature</u> , vol. 354, pp. 82-84, November 7, 1991.	
	BQ	MING, et al., "A fibronectin fragment inhibits tumor growth, angiogenesis, and metasis", <u>PNAS</u> , VOL. 98, NO. 2, PP. 620-624, January 16, 2001.	
	BR	PEDERSEN, et al., "Neuritogenic and Survival-Promoting Effects of the P2 Peptide Derived From a Homophilic Binding Site in the Neural Cell Adhesion Molecule", <u>JOURNAL OF Neuroscience Research</u> , vol. 75, pp. 55-65, 2004.	
	BS	RANHEIM, et al., "Homophilic adhesion mediated by the neural cell adhesion molecule involves multiple immunoglobulin domains", <u>Proc Natl Acad Sci USA</u> , vol. 93(9), pp. 4071-5, April 30, 1996.	
	BT	RAO, et al., "Identification of a peptide sequence involved in homophilic binding in the neural cell adhesion molecule", <u>J Cell Biol</u> , vol. 118(4), pp. 937-49, August 1992.	
	BU	RAO, et al., "Mechanism of homophilic binding mediated by the neural cell adhesion molecule NCAM. Evidence for isologous interaction", <u>J Biol Chem</u> , vol. 269(44), pp. 27540-8, November 4, 1994.	
	BV	Retzler, et al., "Analysis of neurocan structures interacting with the neural cell adhesion molecule NCAM", <u>J Biol Chem</u> , 271(44):27304-10, Nov. 1, 1996.	
	BW	RONN, et al., "NCAM-antibodies modulate induction of long-term potentiation in rat hippocampal CA1", <u>Brain Res</u> , vol. 677(1), pp. 145-51, April 17, 1995.	
	BX	RØNN et al., "Characterization of a novel NCAM ligand with a stimulatory effect on neurite outgrowth identified by screening a combinatorial peptide library", <u>European Journal of neuroscience</u> , vol. 16, pp. 1720-1730, 2002.	
	BY	RØNN et al., "Increased intracellular calcium is required for neurite outgrowth induced by a synthetic peptide ligand of NCAM", <u>FEBS Letters</u> , vol. 519, pp. 60-66, 2002.	
	BZ	RØNN et al., "Neurite Outgrowth Induced by a Synthetic Peptide Ligand of Neural Cell Adhesion Molecule Requires Fibroblast Growth Factor Receptor Activation", <u>Journal of Neurochemistry</u> , vol. 75, pp. 665-671, 2000.	
	CA	ROUGON, et al., "New insights into the diversity and function of neuronal immunoglobulin superfamily molecules", <u>Annu Rev Neurosci</u> , vol. 26, pp. 207-238, 2003.	
<b>EXAMINER</b>		<b>DATE CONSIDERED</b>	
<b>EXAMINER:</b> Initial if reference considered. Draw line through citation if not in conformance <u>and</u> not considered. Include copy of this form with next communication to applicant.			

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /K.B./

<b>SUBSTITUTE FOR FORM IPC/SB/08</b>		<b>ATTY DOCKET NO:</b> ALBRECHTSEN=2	<b>SERIAL NO:</b> 10/567,365
<b>INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT</b>		<b>FIRST INVENTOR:</b> ALBRECHTSEN, Morten	
		<b>FILING DATE:</b> October 20, 2008	
		<b>EXAMINER:</b> Ballard, K.	<b>CONF. NO:</b> 2440
<b>OTHER DOCUMENTS (Continued) (include AUTHOR, title, name of publication, volume, pages &amp; date of publication)</b>			
	CB	SECHER, et al., "A neural cell adhesion molecule-derived fibroblast growth factor receptor agonist, the FGL-peptide, promotes early postnatal sensorimotor development and enhances social memory retention", <u>Neuroscience</u> , vol. 141, pp. 1289-1299, 2006.	
	CC	SIBANDA, et al., "A systematic classification with applications to modeling by homology, electron density fitting and protein engineering", <u>J. mol. boil.</u> , vol. 206(4), pp. 759-77, April 20, 1989.	
	CD	SKAPER, et al., "Neurotrophins rescue cerebellar granule neurons from oxidative stress-mediated apoptotic death: selective involvement of phosphatidylinositol 3-kinase and the mitogen-activated protein kinase pathway", <u>J. Neurochem.</u> , vol. 70(5), pp. 1859-68, May 1998.	
	CE	SKLADCHIKOVA, et al., "Extracellular adenosine triphosphate affects neural cell adhesion molecule (NCAM)-mediated cell adhesion and neurite outgrowth", <u>J. Neurosci. Res.</u> , vol. 57(2), pp. 207-18, July 15, 1999.	
	CF	SOROKA, et al., "Structure and Interactions of NCAM Ig1-2-3 Suggest a Novel Zipper Mechanism for Homophilic Adhesion", <u>STRUCTURE</u> , vol. 10, pp. 1291-1301, October 2003.	
	CG	SOROKA, et al., "Induction of Neuronal Differentiation by a Peptide Corresponding to the Homophilic Binding Site of the second Ig Module of the Neural Cell Adhesion Molecule", <u>The Journal of Biological Chemistry</u> , vol. 277, no. 27, pp. 24676-24683, Issue of July 5, 2002.	
	CH	VAN KAMPEN, et al., "AR-R 17779 improves social recognition in rats by activation of nicotinic alpha7 receptors", <u>Psychopharmacology</u> , vol. 172, pp. 375-383, 2004.	
	CI	VILLALBA, et al., "Pituitary adenylate cyclase-activating polypeptide (PACAP-38) protects cerebellar granule neurons from apoptosis by activating the mitogen-activated protein kinase (MAP kinase) pathway", <u>J. Neurosci.</u> , vol. 17(1), pp. 83-90, January 1, 1997.	
	CJ	WALMOD, et al., "Zippers make signals: NCAM-mediated molecular interactions and signal transduction", <u>Neurochem. Res.</u> , vol. 29, pp. 2015-2035, 2004.	
	CK	WILMOT, et al., "Beta-turns and their distortions: a proposed new nomenclature", <u>Protein Eng.</u> , vol. 3(6), pp. 479-93, May 1990.	
	CL	YAO, et al. "Requirement for phosphatidylinositol-3 kinase in the prevention of apoptosis by nerve growth factor", <u>SCIENCE</u> , vol. 267(5206), pp. 2003-6, March 31, 1995.	
	CM	Berezin, Preliminary Amendment, on Application of Berezin, U.S. Serial No. 12/745,129, filed November 16, 2010.	
	CN	Kiselyov, Amendment, on Application of Kiselyov, U.S. Serial No. 12/435,043, filed December 16, 2010.	
	CO	USPTO, Final Rejection, on Application of Kiselyov, U.S. Serial No. 12/435,043, mailed September 16, 2010.	
	CP	Kiselyov, Amendment, on Application of Kiselyov, U.S. Serial No. 12/435,043, filed June 23, 2010.	
<b>EXAMINER</b>		<b>DATE CONSIDERED</b>	
<b>EXAMINER:</b> Initial if reference considered. Draw line through citation if not in conformance <u>and</u> not considered. Include copy of this form with next communication to applicant.			

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /K.B./

<b>SUBSTITUTE FOR FORM IPC/SB/08</b>  <b>INFORMATION DISCLOSURE STATEMENT</b> <b>LIST OF DOCUMENTS CITED BY APPLICANT</b>		ATTY DOCKET NO: ALBRECHTSEN=2		SERIAL NO: 10/567,365
		FIRST INVENTOR: ALBRECHTSEN, Morten		
		FILING DATE: October 20, 2008		
		EXAMINER: Ballard, K.		CONF. NO: 2440
OTHER DOCUMENTS (Continued) (include AUTHOR, title, name of publication, volume, pages & date of publication)				
	CQ	Kiselyov, Preliminary Amendment, on Application of Kiselyov, U.S. Serial No. 12/435,043, filed December 23, 2009.		
	CR	USPTO, Rejection, on Application of Kiselyov, U.S. Serial No. 12/435,043, mailed December 23, 2009.		
EXAMINER		/Kimberly Ballard/		DATE CONSIDERED 01/11/2011
EXAMINER: Initial if reference considered. Draw line through citation if not in conformance <u>and</u> not considered. Include copy of this form with next communication to applicant.				